

**RUST PREVENTATIVE 2670** 

Page: 1

Compilation date: 18/05/2010

**Revision date:** 19/06/2017

Revision No: 1b

### Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: RUST PREVENTATIVE 2670

Product code: 6133

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Rust preventative

# 1.3. Details of the supplier of the safety data sheet

Company name: Millers Oils Ltd

Hillside Oilworks Rastrick Common

Brighouse

West Yorkshire

HD6 3DP

United Kingdom

Tel: +44 (0)1484 713201

Fax: +44 (0)1484 721263

Email: h.s@millersoils.co.uk

# 1.4. Emergency telephone number

Emergency tel: +44 (0)1484 713201

### **Section 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Classification under CLP: Aquatic Chronic 3: H412; Asp. Tox. 1: H304

Most important adverse effects: May be fatal if swallowed and enters airways. Harmful to aquatic life with long lasting

effects.

# 2.2. Label elements

Label elements:

Hazard statements: H304: May be fatal if swallowed and enters airways.

H412: Harmful to aquatic life with long lasting effects.

Signal words: Danger

Hazard pictograms: GHS08: Health hazard

**RUST PREVENTATIVE 2670** 

Page: 2



**Precautionary statements:** P273: Avoid release to the environment.

P301+310: IF SWALLOWED: Immediately call a POISON CENTER/doctor/.

P331: Do NOT induce vomiting.

P405: Store locked up.

P501: Dispose of contents/container to hazardous or special waste collection point.

#### 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

#### 3.2. Mixtures

### **Hazardous ingredients:**

HYDROCARBONS, C15-C20,N-ALKANES, ISOALKANES, CYCLICS, <0.03% AROMATICS - REACH registered number(s): 01-2119487077-29-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
934-956-3	-	-	Asp. Tox. 1: H304	30-50%
HYDROCARBO	N WAXES (PET	ROLEUM), OXIDIZED		
265-205-1	64743-00-6	-	Eye Irrit. 2: H319	1-10%
CALCIUM SULFONATE				
-	-	-	Eye Irrit. 2: H319	1-10%
2-(2-HEPTADEC-8-ENYL-2-IMIDAZOLIN-1-YL)ETHANOL - REACH registered number(s): 01-2119777867-13-XXXX				
				( )

202-414-9	95-38-5	-	Acute Tox. 4: H302; Skin Corr. 1C:	<1%
			H314; STOT RE 2: H373; Aquatic	
			Acute 1: H400; Aquatic Chronic 1:	
			H410	

### Section 4: First aid measures

#### 4.1. Description of first aid measures

**Skin contact:** Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water. Do not induce vomiting. Consult a doctor.Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness. **Ingestion:** There may be irritation of the throat.

**RUST PREVENTATIVE 2670** 

Page: 3

Inhalation: No symptoms.

### 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: In all cases of doubt, or when symptoms persist, seek medical attention.

#### Section 5: Fire-fighting measures

### 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

### Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-

side up to prevent the escape of liquid. Mark out the contaminated area with signs and

prevent access to unauthorised personnel.

#### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

# 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

#### Section 7: Handling and storage

# 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. The floor of the

storage room must be impermeable to prevent the escape of liquids.

# 7.3. Specific end use(s)

Specific end use(s): No data available.

**RUST PREVENTATIVE 2670** 

Page: 4

### Section 8: Exposure controls/personal protection

#### 8.1. Control parameters

Workplace exposure limits: No data available.

**DNEL/PNEC Values** 

**DNEL / PNEC** No data available.

#### 8.2. Exposure controls

Engineering measures: The floor of the storage room must be impermeable to prevent the escape of liquids.

Respiratory protection: Respiratory protection not required.

Hand protection: Protective gloves.Eye protection: Safety glasses.Skin protection: Protective clothing.

### Section 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Pale brown

Odour: Barely perceptible odour

Evaporation rate: Negligible

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Insoluble

Also soluble in: Most organic solvents.

Viscosity: Non-viscous

Kinematic viscosity: 14.8 cSt

Viscosity test method: Kinematic viscosity in 10-6 m2/s at 40°C (ISO 3104/3105)

Boiling point/range°C: No data available. Melting point/range°C: No data available.

Flammability limits %: lower: No data available. upper: No data available.

Flash point°C: 165 Part.coeff. n-octanol/water: No data available.

Autoflammability°C: No data available. Vapour pressure: No data available.

**Relative density:** 0.859 **pH:** No data available.

VOC g/I: No data available.

#### 9.2. Other information

Other information: No data available.

# Section 10: Stability and reactivity

### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

**RUST PREVENTATIVE 2670** 

Page: 5

#### 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

#### 10.4. Conditions to avoid

Conditions to avoid: Heat.

#### 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents.

### 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

### **Section 11: Toxicological information**

#### 11.1. Information on toxicological effects

### **Hazardous ingredients:**

### HYDROCARBONS, C15-C20,N-ALKANES, ISOALKANES, CYCLICS, <0.03% AROMATICS

DERMAL	RBT	LD50	>3160	mg/kg
DUST/MIST	RAT	LD50	>5266	mg/kg
ORAL	RAT	LD50	5000	mg/kg

# 2-(2-HEPTADEC-8-ENYL-2-IMIDAZOLIN-1-YL)ETHANOL

				_	
ORAL	RAT	LD50	1,265	ma/ka	
0			.,	9,9	

#### Relevant hazards for substance:

Hazard	Route	Basis
Aspiration hazard	-	Hazardous: calculated

# Symptoms / routes of exposure

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness. **Ingestion:** There may be irritation of the throat.

Inhalation: No symptoms.

### Section 12: Ecological information

### 12.1. Toxicity

**RUST PREVENTATIVE 2670** 

Page: 6

#### **Hazardous ingredients:**

#### HYDROCARBONS, C15-C20,N-ALKANES, ISOALKANES, CYCLICS, <0.03% AROMATICS

DAPHNIA	48H EC50	>3193	mg/l
FISH	96H LC50	>1028	mg/l
MARINE ALGAE (Skeletonema costatum)	72H ErC50	>10000	mg/l

# 2-(2-HEPTADEC-8-ENYL-2-IMIDAZOLIN-1-YL)ETHANOL

ZEBRAFISH (Brachydanio rerio)	96H LC50	0.3	ma/l
	00	0.0	

### 12.2. Persistence and degradability

Persistence and degradability: Expected to be inherently biodegradable.

#### 12.3. Bioaccumulative potential

Bioaccumulative potential: Not expected to bioaccumulate.

### 12.4. Mobility in soil

Mobility: Readily absorbed into soil.

#### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

#### **Section 13: Disposal considerations**

#### 13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

**Disposal of packaging:** Arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

#### **Section 14: Transport information**

Transport class: This product does not require a classification for transport.

## **Section 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2. Chemical Safety Assessment

### **Section 16: Other information**

#### Other information

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

### **RUST PREVENTATIVE 2670**

Page: 7

This safety data sheet is prepared in accordance with Commission Regulation (EC) No 1272/2008.

Phrases used in s.2 and s.3: H302: Harmful if swallowed.

H304: May be fatal if swallowed and enters airways. H314: Causes severe skin burns and eye damage.

H319: Causes serious eye irritation.

H373: May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.